

**SKEETER**

**2000**





**EAT.** (TO SURVIVE)  
**SLEEP.** (TO SURVIVE)  
**FISH.** (REASON TO EAT AND SLEEP)

**ZX—FIBERGLASS**  
ZX 210 ----- 10,11,14  
ZX 202 ----- 2,4,5,8,9,14  
ZX 195 ----- 12,13,14  
ZX 185 ----- 5,9,14  
ZX 180 ----- 11,14  
ZX 202L ----- 9  
ZX 185L ----- not shown

**SX—FIBERGLASS**  
SX 186 ----- 16,18  
SX 176 ----- 16,17,18  
SX 166 ----- 16,17,18

**SL—FIBERGLASS**  
SL 200 ----- 21,22  
SL 185 ----- 20,21,22,23  
SL 176 ----- 20,21,22

**BIG WATER—FIBERGLASS**  
ZX 2200 ----- 25,28  
ZX 2200T ----- 25,28  
ZX 2400 ----- 24,25,28  
1850DV ----- 26,27,28  
1775WT ----- 26,28  
1775SC ----- 26,28  
1775T ----- 27,28

**SKEETER FIBERGLASS**  
COLOR GUIDE ----- 30,31

**ZX—ALUMINUM**  
ZX 19 ----- 32,33,36  
ZX 18 ----- 32,33,36  
ZX 17 ----- 32,36

**SX—ALUMINUM**  
SX 18 ----- 35,37  
SX 17 ----- 35,37  
SX 17PF ----- 34,35,37

**PONTOONS**  
PB 24C ----- 38,39  
PB 20C ----- 38,39  
PB 20F ----- 38,39

**UTILITY BOATS**  
----- 40,41

**JON BOATS**  
----- 40,41



# ZX PERFORMANCE BASS BOATS



Engineered and built for the serious tournament angler, Skeeter's ZX Performance bass boats feature uncompromised comfort, maneuverability and fishability.

Crafted with innovative technology, including X-TREME and X-CEL composite construction, the ZX boasts unmatched strength and durability. Hydrodynamically designed hulls deliver exceptional maneuverability and a smooth, dry ride. ZX casting decks are extremely roomy with room for two anglers on the front deck alone. Ergonomically designed cockpits and controls. Super-sized rod lockers. Plus, all the latest electronics, including names like Zercor®, MotorGuide®, Dual Pro® and Lowrance®. In addition, all Skeeter boats are powered by the legendary power and performance of Yamaha.


ZX 210

ZX 202

ZX 195

ZX 185

ZX 180



ZX 180

Some of the features shown and described are available only on specific Skeeter ZX models.



**ZX PERFORMANCE SERIES**



extra-large rod boxes with integrated rod storage system

in-floor cooler

optional bike seat with Power Pro Pole



driver's side glove compartment




Zercom depth finder




state-of-the-art four-pump tournament livewell system




passenger side glove compartment



roomy storage compartments





Skeeter's exclusive Rod Staze™



optional Moor Mate



convenient rod bench with Rod Staze™ and drink holders



standard 12" jackplate

MotorGuide® 24v trolling motors with Gator mounts



ZX 195

SKEEETER

reverse draft transom





# ZX PERFORMANCE SERIES

All Skeeter/Yamaha packages feature Yamaha deluxe controls, professional factory rigging and a custom Yamaha propeller (stainless steel 90 h.p. and above).

## ZX 210

**STANDARD PACKAGE** ZX 210 fiberglass boat (single or dual console) • Skeeter deluxe tandem axle tube trailer w/disc brakes, spare tire & carrier, tie downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767V Tour Edition, foot-operated, 67 lbs. thrust troll motor w/Gator mount




SPECIFICATIONS	
length on trailer	27'4"
width on trailer	10'1"
length	21'
beam	9'2"
transom height	23"
height overall	41"
interior depth	19"
draft	16"
dry weight	1,760 lbs.
max h.p.	250 h.p.
CAPACITIES	
max weight	1,484 lbs.
max persons	6/900 lbs.
fuel	50 gals.

### STANDARD FEATURES

- composite const. w/X-CESS aluminum knee brace system
- sequin finish deck & hull sides & stripes w/sequin pinstripes & gelcoat running surface
- contour driver & passenger seating w/flip-down center seat
- cockpit command center w/tachometer, speedometer, volt meter, fuel, water pressure & trim gauges, horn & 12v accessory inlet
- bow panel w/troll receptacle & trim switch
- fishing chair w/13" fixed height ext.
- bike seat w/power pro pole
- tinted windscreen
- stainless steel handrails
- 2 stainless steel pull-up cleats
- 4-pump livewell control system featuring independent "fill," "recirculating" & "drain" modes & adjustable livewell pump timer
- gas-assisted lifts on front & rear storage doors, rod box doors & bilge access doors
- tilt hydraulic steering
- driver & passenger glove boxes & drink holders
- built-in coolers (in floor & under passenger seat)
- heavy-duty 12" jackplate w/2 stern eyes
- stretched sponsons, no-splashwell design
- insulated doors

- bow traction mat
- bow & stern lights w/holders
- dual 25-gallon fuel system
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- interior light package (rod, storage boxes & livewells)
- retractable utility light
- integrated rod storage system
- dual pro battery charger w/external charge indicator & charging inlet
- 6-gauge troll motor wiring system
- 3 battery trays
- nested hatch, aluminum frame deck structure (front & rear)
- roto-molded drop-in storage w/cargo pads
- 3 built-in retractable Rod Staze™



LIVELWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

### OPTIONAL FEATURES

- passenger console w/windscreen
- full sequin bottom
- sequin shadow pinstripe
- double "S" stripe
- foot throttle & pro trim
- livewell pumpout system
- moor mates (bow) exchanged for pull-up cleats
- Lowrance X-48, -65, -75 or -85 w/transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- fishing seat w/13" fixed ext. exchanged for bike seat w/power pro pole
- fishing seat w/13" fixed extension (extra)
- bike seat w/power pro pole exchanged for fishing seat w/13" fixed ext.
- bike seat w/power pro pole (extra)
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- disc brakes 2nd axle
- trailer galvanizing (including wheels)
- side guides
- trailer loading lights
- rear ratchet tie-downs
- MotorGuide, 567 hand control / 50" column, 67 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 780V Tour Edition foot control or 580 hand control / 50" column, 80 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 7107V Tour Edition foot control or 5107V hand control / 50" column, 107 lbs. thrust, 36v troll motor w/triple pro charger, indicator panel and additional battery tray (exchange)
- triple pro charger w/triple charge indicator panel (exchange)

## ZX 202

**STANDARD PACKAGE** ZX 202 fiberglass boat (single or dual console) • Skeeter deluxe tandem axle tube trailer w/disc brakes, spare tire & carrier, tie downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767V Tour Edition, foot-operated, 67 lbs. thrust troll motor w/Gator mount




SPECIFICATIONS	
length on trailer	26'6"
width on trailer	10'1"
length	20'2"
beam	9'2"
transom height	23"
height overall	41"
interior depth	19"
draft	16"
dry weight	1,680 lbs.
max h.p.	225 h.p.
CAPACITIES	
max weight	1,484 lbs.
max persons	6/900 lbs.
fuel	50 gals.

### STANDARD FEATURES

- composite const. w/X-CESS aluminum knee brace system
- sequin finish deck & hull sides & stripes w/sequin pinstripes & gelcoat running surface
- contour driver & passenger seating w/flip-down center seat
- cockpit command center w/tachometer, speedometer, volt meter, fuel, water pressure & trim gauges, horn & 12v accessory inlet
- bow panel w/troll receptacle & trim switch
- fishing chair w/13" fixed height ext.
- bike seat w/power pro pole
- tinted windscreen
- stainless steel handrails
- 2 stainless steel pull-up cleats
- 4-pump livewell control system featuring independent "fill," "recirculating" & "drain" modes & adjustable livewell pump timer
- gas-assisted lifts on front & rear storage doors, rod box doors & bilge access doors
- tilt hydraulic steering
- driver & passenger glove boxes & drink holders
- built-in coolers (in floor & under passenger seat)
- heavy-duty 12" jackplate w/2 stern eyes
- stretched sponsons, no-splashwell design
- insulated doors

- bow traction mat
- bow & stern lights w/holders
- dual 25-gallon fuel system
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- interior light package (rod, storage boxes & livewells)
- retractable utility light
- integrated rod storage system
- dual pro battery charger w/external charge indicator & charging inlet
- 6-gauge troll motor wiring system
- 3 battery trays
- nested hatch, aluminum frame deck structure (front & rear)
- roto-molded drop-in storage w/cargo pads
- 3 built-in retractable Rod Staze™




LIVELWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

### OPTIONAL FEATURES

- passenger console w/windscreen
- full sequin bottom
- sequin shadow pinstripe
- double "S" stripe
- foot throttle & pro trim
- livewell pumpout system
- moor mates (bow) exchanged for pull-up cleats
- Lowrance X-48, -65, -75 or -85 w/transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- fishing seat w/13" fixed ext. exchanged for bike seat w/power pro pole
- fishing seat w/13" fixed extension (extra)
- bike seat w/power pro pole exchanged for fishing seat w/13" fixed extension
- bike seat w/power pro pole (extra)
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- disc brakes 2nd axle
- trailer galvanizing (including wheels)
- side guides
- trailer loading lights
- rear ratchet tie-downs
- MotorGuide, 567 hand control / 50" column, 67 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 780V Tour Edition foot control or 580 hand control / 50" column, 80 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 7107V Tour Edition foot control or 5107V hand control / 50" column, 107 lbs. thrust, 36v troll motor w/triple pro charger, indicator panel and additional battery tray (exchange)
- triple pro charger w/triple charge indicator panel (exchange)

## ZX 195

**STANDARD PACKAGE** ZX 195 fiberglass boat (single or dual console) • Skeeter deluxe tandem axle tube trailer w/disc brakes, spare tire & carrier, tie downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767V Tour Edition, foot-operated, 67 lbs. thrust troll motor w/Gator mount




SPECIFICATIONS	
length on trailer	25'9"
width on trailer	10'1"
length	19'5"
beam	9'2"
transom height	23"
height overall	41"
interior depth	17"
draft	16"
dry weight	1,630 lbs.
max h.p.	200 h.p.
CAPACITIES	
max weight	1,484 lbs.
max persons	6/900 lbs.
fuel	50 gals.

### STANDARD FEATURES

- composite const. w/X-CESS aluminum knee brace system
- sequin finish deck & hull sides & stripes w/sequin pinstripes & gelcoat running surface
- contour driver & passenger seating w/flip-down center seat
- cockpit command center w/tachometer, speedometer, volt meter, fuel, water pressure & trim gauges, horn & 12v accessory inlet
- bow panel w/troll receptacle & trim switch
- fishing chair w/13" fixed height ext.
- bike seat w/power pro pole
- tinted windscreen
- stainless steel handrails
- 2 stainless steel pull-up cleats
- 4-pump livewell control system featuring independent "fill," "recirculating" & "drain" modes & adjustable livewell pump timer
- gas-assisted lifts on front & rear storage doors, rod box doors & bilge access doors
- tilt hydraulic steering
- driver & passenger glove boxes & drink holders
- built-in cooler (under passenger seat)
- heavy-duty 12" jackplate w/2 stern eyes
- stretched sponsons, no-splashwell design
- insulated doors

- bow traction mat
- bow & stern lights w/holders
- dual 25-gallon fuel system
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- interior light package (rod, storage boxes & livewells)
- retractable utility light
- integrated rod storage system
- dual pro battery charger w/external charge indicator & charging inlet
- 6-gauge troll motor wiring system
- 3 battery trays
- nested hatch, aluminum frame deck structure (rear)
- roto-molded drop-in storage w/cargo pads
- 3 built-in retractable Rod Staze™



LIVELWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

### OPTIONAL FEATURES

- passenger console w/windscreen
- full sequin bottom
- sequin shadow pinstripe
- double "S" stripe
- foot throttle & pro trim
- livewell pumpout system
- moor mates (bow) exchanged for pull-up cleats
- Lowrance X-48, -65, -75 or -85 w/transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- fishing seat w/13" fixed ext. exchanged for bike seat w/power pro pole extension
- fishing seat w/13" fixed extension (extra)
- bike seat w/power pro pole exchanged for fishing seat w/13" fixed extension
- bike seat w/power pro pole (extra)
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- disc brakes 2nd axle
- trailer galvanizing (including wheels)
- side guides
- trailer loading lights
- rear ratchet tie-downs
- MotorGuide, 567 hand control / 50" column, 67 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 780V Tour Edition foot control or 580 hand control / 50" column, 80 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 7107V Tour Edition foot control or 5107V hand control / 50" column, 107 lbs. thrust, 36v troll motor w/triple pro charger, indicator panel and additional battery tray (exchange)
- triple pro charger w/triple charge indicator panel (exchange)

## ZX 185

**STANDARD PACKAGE** ZX 185 fiberglass boat (single or dual console) • Skeeter deluxe single axle tube trailer w/disc brakes, spare tire & carrier, tie downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767V Tour Edition, foot-operated, 67 lbs. thrust troll motor w/Gator mount




SPECIFICATIONS	
length on trailer	24'
width on trailer	10'1"
length	18'5"
beam	9'2"
transom height	23"
height overall	47"
interior depth	17"
draft	15"
dry weight	1,500 lbs.
max h.p.	175 h.p.
CAPACITIES	
max weight	1,250 lbs.
max persons	5/675 lbs.
fuel	36 gals.

### STANDARD FEATURES

- composite construction
- sequin finish deck & hull sides & stripes w/sequin pinstripes & gelcoat running surface
- contour driver & passenger seating w/flip-down center seat
- cockpit command center w/tachometer, speedometer, volt meter, fuel, water pressure & trim gauges, horn & 12v accessory inlet
- bow panel w/troll receptacle & trim switch
- fishing chair w/13" fixed height ext.
- bike seat w/power pro pole
- tinted windscreen
- stainless steel handrails
- 2 stainless steel pull-up cleats
- 4-pump livewell control system featuring independent "fill," "recirculating" & "drain" modes & adjustable livewell pump timer
- gas-assisted lifts on front strg. doors, rod box doors & bilge access door
- tilt hydraulic steering
- driver & passenger glove boxes & drink holders
- built-in cooler (under passenger seat)
- standard 12" jackplate w/2 stern eyes
- stretched sponsons, no-splashwell design
- insulated doors
- bow traction mat
- bow & stern lights w/holders

- dual 18-gallon fuel system
- manual/automatic 800 gph bilge pump
- interior light package (rod, storage boxes, livewells & rigging area)
- retractable utility light
- integrated rod storage system
- dual pro battery charger w/external charge indicator & charging inlet
- 6-gauge troll motor wiring system
- 3 battery trays
- roto-molded drop-in storage w/cargo pads
- 3 built-in retractable Rod Staze™



LIVELWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

### OPTIONAL FEATURES

- double "S" stripe
- foot throttle & pro trim
- livewell pump out system
- triple pro charger (exchange)
- Lowrance X-48, -65, -75 or -85 w/transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- fishing seat w/13" fixed ext. exchanged for bike seat w/power pro pole
- fishing seat w/13" fixed extension (extra)
- bike seat w/power pro pole exchanged for fishing seat w/13" fixed extension
- bike seat w/power pro pole (extra)
- aluminum wheel exchange
- swing-away tongue w/brakes
- disc brakes 2nd axle
- trailer galvanizing (including wheels)
- tandem axle exchange
- disc brakes 2nd axle
- side guides
- trailer loading lights
- rear ratchet tie-downs
- MotorGuide, 567 hand control / 50" column, 67 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 780V Tour Edition foot control or 580 hand control / 50" column, 80 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 7107V Tour Edition foot control or 5107V hand control / 50" column, 107 lbs. thrust, 36v troll motor w/triple pro charger, indicator panel and additional battery tray (exchange)
- triple pro charger w/triple charge indicator panel (exchange)

## ZX 180

**STANDARD PACKAGE** ZX 180 fiberglass boat (single or dual console) • Skeeter deluxe single axle tube trailer, spare tire & carrier, tie downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767 foot-operated, 67 lbs. thrust troll motor w/Gator mount




SPECIFICATIONS	
length on trailer	23'
width on trailer	9'8"
length	17'6"
beam	8'9"
transom height	23"
height overall	45"
interior depth	17.5"
draft	15"
dry weight	1,440 lbs.
max h.p.	150 h.p.
CAPACITIES	
max weight	1,280 lbs.
max persons	5/705 lbs.
fuel	30 gals.

### STANDARD FEATURES

- composite construction
- sequin finish deck & hull sides & stripes w/sequin pinstripes & gelcoat running surface
- contour driver & passenger seating w/removable center seat
- cockpit command center w/tachometer, speedometer, volt meter, fuel, water pressure & trim gauges, horn & 12v accessory inlet
- bow panel w/troll receptacle & trim switch
- fishing chair w/13" fixed height extension
- bike seat w/power pro pole
- tinted windscreen
- stainless steel handrails
- 2 stainless steel pull-up cleats
- livewell control system featuring "fill," "recirculating" & "drain" modes & adjustable livewell pump timer
- gas-assisted lifts on front storage doors, rod box doors & bilge access door
- dual cable tilt steering
- driver & passenger drink holders
- passenger glove box
- built-in cooler (under passenger seat)
- standard 12" jackplate w/2 stern eyes
- stretched sponsons, no-splashwell design
- insulated doors
- bow traction mat

- bow & stern lights w/holders
- 30-gallon built-in fuel system
- manual/automatic 800 gph bilge pump
- interior light package (rod, storage boxes, livewells & rigging area)
- retractable utility light
- dual pro battery charger w/external charge indicator & charging inlet
- 6-gauge troll motor wiring system
- 3 battery trays
- roto-molded drop-in storage w/cargo pads
- 3 built-in retractable Rod Staze™



LIVELWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

### OPTIONAL FEATURES

- passenger console w/windscreen
- full sequin bottom
- sequin shadow pinstripe
- double "S" stripe
- foot throttle & pro trim
- livewell pump out system
- tilt hydraulic steering (exchange)
- Lowrance X-48, -65, -75 or -85 w/transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- fishing seat w/13" fixed extension exchanged for bike seat w/power pro pole
- fishing seat w/13" fixed extension (extra)
- bike seat w/power pro pole exchanged for fishing seat w/13" fixed extension
- bike seat w/power pro pole (extra)
- moor mates (bow) exchanged for pull-up cleats
- upgrade to 1500 gph bilge pump
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- surge brakes, one axle
- disc brakes, one axle
- trailer galvanizing (including wheels)
- side guides
- trailer loading lights
- rear ratchet tie-downs
- MotorGuide 780V Tour Edition foot control or 580 hand control / 50" column, 80 lbs. thrust, 24v troll motor (exchange)
- MotorGuide 7107V Tour Edition foot control or 5107V hand control / 50" column, 107 lbs. thrust, 36v troll motor w/triple pro charger, indicator panel and additional battery tray (exchange)



**SX**

**TOURNAMENT SERIES**



SX 186

# SX TOURNAMENT BASS BOATS



SX 176

SKEETER

And like all Skeeter boats, the SX is backed by Yamaha's technologically advanced power and performance.  
The SX Tournament Series for 2000. Everything a value-conscious angler could dream of.

The SX Tournament Series is nothing less than first-class Skeeter. Like the brand-new SX 166, a compact bass boat with "big boat" performance and features.

The SX fiberglass boats for 2000 are full-featured and big on value. All SX boats feature extended casting decks, large rod lockers, tournament-quality livewell systems and ergonomically designed cockpits with cutting-edge electronics like Zecom and trolling motors by MotorGuide. Best of all, they all offer Skeeter's exceptional maneuverability and legendary smooth, dry ride.



SX 166

SKEETER

SX 186

SX 176

SX 166



# SX TOURNAMENT SERIES



'SX 176

## SX 186

**STANDARD PACKAGE** SX 186 fiberglass boat (single or dual console model) • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767 foot-operated, 67 lbs. thrust troll motor w/Gator mount



### SPECIFICATIONS

length on trailer .22'9"  
width on trailer .98"  
length .18'5"  
beam .89"  
transom height .22"  
height overall .43"  
interior depth .19"  
draft .12"  
dry weight .1,390 lbs.  
max h.p. .150 h.p.

### CAPACITIES

max weight .1,290 lbs.  
max persons .5/715 lbs.  
fuel .36 gals.

### STANDARD FEATURES

-standard colors as follows: white gelcoat hull & deck w/

deck/hull stripe	pin stripe	upholstery	carpet
laser	sterling	marble/charcoal	gunmetal
sherwood	sahara	mocha/tan	mocha mist
nassau	sterling	marble/charcoal	gunmetal
caymen	sterling	marble/charcoal	gunmetal

- composite transom & fiberglass stringer system
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- bench seat
- 2 fishing chairs with 13" fixed ext.
- tinted windscreen
- livewell control system with "fill,"
- "recirculating" & "drain" modes w/livewell pump timer
- dual rear livewells
- gas-assisted lifts on rod box doors and bilge access door
- dual-cable steering
- 2 built-in retractable Rod Staze™
- insulated doors

## SX 176

**STANDARD PACKAGE** SX 176 fiberglass boat (single or dual console model) • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 752 foot-operated, 52 lbs. thrust troll motor w/mount



### SPECIFICATIONS

length on trailer .22'2"  
width on trailer .94"  
length .17'8"  
beam .82"  
transom height .20"  
height overall .46"  
interior depth .19"  
draft .12"  
dry weight .1,270 lbs.  
max h.p. .130 h.p.

### CAPACITIES

max weight .1,150 lbs.  
max persons .5/640 lbs.  
fuel .24 gals.

### STANDARD FEATURES

-standard colors as follows: white gelcoat hull & deck w/

deck/hull stripe	pin stripe	upholstery	carpet
laser	sterling	marble/charcoal	gunmetal
sherwood	sahara	mocha/tan	mocha mist
nassau	sterling	marble/charcoal	gunmetal
caymen	sterling	marble/charcoal	gunmetal

- composite transom & fiberglass stringer system
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- bench seat
- 2 fishing chairs with 13" fixed ext.
- tinted windscreen
- livewell control system with "fill,"
- "recirculating" & "drain" modes w/livewell pump timer
- divided rear livewell
- gas-assisted lifts on rod box doors and bilge access door
- single-cable steering
- 2 built-in retractable Rod Staze™
- insulated doors

## SX 166

**STANDARD PACKAGE** SX 166 fiberglass boat (single console only) • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs & transom saver • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 752 foot-operated, 52 lbs. thrust troll motor w/mount



### SPECIFICATIONS

length on trailer .20'10"  
width on trailer .94"  
length .16'8"  
beam .82"  
transom height .20"  
height overall .46"  
interior depth .19"  
draft .12"  
dry weight .1,190 lbs.  
max h.p. .115 h.p.

### CAPACITIES

max weight .1,100 lbs.  
max persons .3/400 lbs.  
fuel .20 gals.

### STANDARD FEATURES


-standard colors as follows: white gelcoat hull & deck w/

deck/hull stripe	pin stripe	upholstery	carpet
laser	sterling	marble/charcoal	gunmetal
sherwood	sahara	mocha/tan	mocha mist
nassau	sterling	marble/charcoal	gunmetal
caymen	sterling	marble/charcoal	gunmetal

- composite transom & fiberglass stringer system
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- bench seat
- 2 fishing chairs with 13" fixed ext.
- tinted windscreen
- livewell control system with "fill,"
- "recirculating" & "drain" modes w/livewell pump timer
- divided rear livewell
- gas-assisted lift on bilge access door
- single-cable steering
- 2 built-in retractable Rod Staze™
- insulated doors



'roomy rod boxes with gas-assisted lifts



'three-across seating' with hidden storage




user-friendly instrumentation with Skeeter gauges and Zercom® CID-40 flasher®

- bow traction mat
- bow & stern lights
- 36-gallon fuel system
- 800 gph bilge pump
- 6-gauge trolling motor wiring system
- 3 battery trays
- Skeeter transom washer
- 4 cleats

### OPTIONAL FEATURES

- passenger console w/windscreen
- optional color schemes (chosen from 2000 Skeeter color guide)
- in-floor cooler
- automatic bilge pump switch
- Lowrance X-48 w/transducer
- Lowrance X-65 w/transducer
- Lowrance X-75 w/transducer
- Lowrance X-85 w/transducer
- Lowrance transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow only)
- Zercom CID-40 flasher w/temp &

- transducer (bow only)
- bike seat w/adjustable extension
- stainless steel handrails
- spare tire & alumalook wheel
- chrome wheel (exchange)
- aluminum wheel (exchange)
- swing-away tongue
- surge brakes
- disc brakes
- swing-away tongue w/brakes
- trailer galvanizing (including wheels)
- side guides
- tandem axle (exchange)
- disc brakes 2nd axle
- MotorGuide 567V, 67 lbs. thrust, hand operated, 24v, 50" shaft troll motor (exchange)




LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

- bow traction mat
- bow & stern lights
- 24-gallon fuel system
- 800 gph bilge pump
- 6-gauge trolling motor wiring system
- 2 battery trays
- Skeeter transom washer
- 4 cleats

### OPTIONAL FEATURES

- passenger console w/windscreen
- optional color schemes (chosen from 2000 Skeeter color guide)
- automatic bilge pump switch
- Lowrance X-48 w/transducer
- Lowrance X-65 w/transducer
- Lowrance X-75 w/transducer
- Lowrance X-85 w/transducer
- Lowrance transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow only)
- Zercom CID-40 flasher w/temp & transducer (bow only)

- bike seat w/adjustable extension
- stainless steel handrails
- spare tire & alumalook wheel
- chrome wheel (exchange)
- aluminum wheel (exchange)
- swing-away tongue
- surge brakes
- disc brakes
- swing-away tongue w/brakes
- trailer galvanizing (including wheels)
- side guides
- MotorGuide 767V, 67 lbs. thrust, foot operated, 24v troll motor (exchange)
- MotorGuide 552V, 52 lbs. thrust, hand operated, 12v, 50" shaft troll motor (exchange)




LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

- bow traction mat
- bow & stern lights
- 20-gallon fuel system
- 800 gph bilge pump
- 6-gauge trolling motor wiring system
- 2 battery trays
- Skeeter transom washer
- 4 cleats

### OPTIONAL FEATURES

- optional color schemes (chosen from 2000 Skeeter color guide)
- automatic bilge pump switch
- Lowrance X-48 w/transducer
- Lowrance X-65 w/transducer
- Lowrance X-75 w/transducer
- Lowrance X-85 w/transducer
- Lowrance transducer
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance 1240A flasher w/transducer (bow only)
- Zercom CID-40 flasher w/temp & transducer (bow only)
- bike seat w/adjustable extension

- stainless steel handrails
- spare tire & alumalook wheel
- chrome wheel (exchange)
- aluminum wheel (exchange)
- swing-away tongue
- surge brakes
- disc brakes
- swing-away tongue w/brakes
- trailer galvanizing (including wheels)
- side guides
- MotorGuide 552V, 52 lbs. thrust, hand operated, 12v, 50" shaft troll motor (exchange)



LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING

All Skeeter/Yamaha packages feature Yamaha deluxe controls, professional factory rigging and a custom Yamaha propeller (stainless steel 90 h.p. and above).

deluxe console  
with state-of-the-art electronics





SL 185



SL 200

The new Skeeter Fish & Skis give you the best of both worlds with the ultimate in ski performance and fishability. In fact, our fiberglass Fish & Skis combine the popular features you'll find on Skeeter's legendary bass boats with the bells and whistles found on most upscale ski boats. In addition, there's plenty of storage for rods and skis, plus aerated livewells, driver and passenger bucket seats, stainless steel sure-grip ladders and elevated casting decks. And every Skeeter Fish & Ski comes equipped with an ergonomically designed console, state-of-the-art electronics, elevated gunnels and Skeeter's one-of-a-kind aerodynamic profile for fuel-efficient performance and a more stable ride. Did someone say "fish"? Or was it "ski"?

SL 200

SL 185

SL 176



SL 176

**SL FISH & SKI**



# SL FISH & SKI SERIES

All Skeeter/Yamaha packages feature Yamaha deluxe controls, professional factory rigging and a custom Yamaha propeller (stainless steel 90 h.p. and above).

## SL 200

### STANDARD PACKAGE

SL 200 Fiberglass Boat

- Skeeter deluxe tandem-axle tube trailer w/disc brakes
- tie-downs and transom saver
- spare tire and carrier



### SPECIFICATIONS

length on trailer . . . 24'4"  
width on trailer . . . 101"  
length . . . 19'7"  
beam . . . 39"  
transom height . . . 23"  
height overall . . . 50"  
interior depth . . . 24"  
draft . . . 14"  
dry weight . . . 1,450 lbs.  
max h.p. . . . 200 h.p.

### CAPACITIES

max weight . . . 1,484 lbs.  
max persons 6/900 lbs.  
fuel . . . 41 gals.

### STANDARD FEATURES

- white or sand gelcoat hull & deck
- sequin hull & deck stripe
- sequin pinstripes
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- driver & passenger bucket seats
- rear bench seat
- fishing chair w/13" fixed ext.
- bike seat w/adjustable extension
- stainless steel handrails
- bow & stern livewells w/timer
- dual-cable tilt steering
- insulated aluminum doors
- bow traction mat
- bow & stern lights
- 41-gallon fuel system


- 800 gph bilge pump
- 8-gauge troll motor wiring system
- 3 battery trays
- walk-thru windshield
- in-floor ski/rod storage
- boarding ladder
- ski tow bar
- AM/FM radio w/cassette player & two speakers

### OPTIONAL FEATURES

- sequin deck & hull
- chrome cleats (pair)
- tilt hydraulic steering
- jackplate 10"
- Dual Pro 5 amp charger
- single 5 amp charger

- Lowrance 3500 digital depth gauge (dash only)
- Lowrance X-48 w/transducer (bow)
- Lowrance X-65 w/transducer (bow)
- Lowrance X-75 w/transducer (bow)
- Lowrance X-85 w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- 1500 gph bilge pump (exchange)
- automatic bilge pump switch
- canopy top
- rear sun pad
- volt meter & water pressure gauge package
- transom washer
- chrome wheel exchange

- aluminum wheel exchange
- swing-away tongue w/brakes
- disc brakes; 2nd axle
- trailer galvanizing (including wheels)
- Skeeter cut-out steps
- side guides
- trailer loading lights
- MotorGuide 767 or 752 foot-operated or 567 or 552 trolling motor w/removable mount



LIVWELL  
ROD STORAGE  
STORAGE  
COOLER  
RIGGING

## SL 185

### STANDARD PACKAGE

SL 185 Fiberglass Boat

- Skeeter single-axle tube trailer
- tie-downs and transom saver
- spare tire and carrier



### SPECIFICATIONS

length on trailer . . . 24'  
width on trailer . . . 101"  
length . . . 18'5"  
beam . . . 39"  
transom height . . . 23"  
height overall . . . 47"  
interior depth . . . 22"  
draft . . . 15"  
dry weight . . . 1,500 lbs.  
max h.p. . . . 175 h.p.

### CAPACITIES

max weight . . . 1,250 lbs.  
max persons 5/675 lbs.  
fuel . . . 30 gals.

### STANDARD FEATURES

- composite construction
- white or sand gelcoat hull & deck
- sequin hull & deck stripe
- sequin pinstripes
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- driver & passenger bucket seats
- rear removable fishing seats w/center bench
- two stern livewells w/timer
- dual-cable tilt steering
- insulated aluminum doors
- bow traction mat
- bow & stern lights
- 30-gallon fuel system
- 800 gph bilge pump


- 8-gauge troll motor wiring system
- 3 battery trays
- walk-thru windshield
- standard 12" jackplate
- in-floor ski/rod storage
- boarding ladder
- ski tow bar
- AM/FM radio w/cassette player & two speakers
- 4 cleats

### OPTIONAL FEATURES

- sequin deck & hull
- tilt hydraulic steering
- Dual Pro 5 amp charger
- single 5 amp charger
- Lowrance 3500 digital depth

- (dash only)
- Lowrance X-48 w/transducer (bow)
- Lowrance X-65 w/transducer (bow)
- Lowrance X-75 w/transducer (bow)
- Lowrance X-85 w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- 1500 gph bilge pump (exchange)
- automatic bilge pump switch
- canopy top
- rear sun pad
- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- surge brakes; one axle

- disc brakes; one axle
- tandem axle exchange
- disc brakes; 2nd axle
- trailer galvanizing (including wheels)
- Skeeter cut-out steps (single axle)
- Skeeter cut-out steps (tandem axle)
- side guides
- trailer loading lights
- MotorGuide 767 or 752 foot-operated or 567 or 552 trolling motor w/removable mount



LIVWELL  
ROD STORAGE  
STORAGE  
COOLER  
RIGGING

## SL 176

### STANDARD PACKAGE

SL 176 fiberglass boat

- Skeeter single-axle tube trailer
- tie-downs and transom saver
- spare tire and carrier



### SPECIFICATIONS

length on trailer . . . 23'  
width on trailer . . . 98"  
length . . . 17'6"  
beam . . . 39"  
transom height . . . 23"  
height overall . . . 50"  
interior depth . . . 21.5"  
draft . . . 15"  
dry weight . . . 1,440 lbs.  
max h.p. . . . 150 h.p.

### CAPACITIES

max weight . . . 1,250 lbs.  
max persons 5/675 lbs.  
fuel . . . 30 gals.

### STANDARD FEATURES

- composite construction
- white or sand gelcoat hull & deck
- sequin hull & deck stripe
- sequin pinstripes
- Skeeter tachometer, speedometer, fuel gauge, trim gauge & horn
- driver & passenger bucket seats
- rear removable fishing seats w/center bench
- two stern livewells w/timer
- dual-cable tilt steering
- insulated aluminum doors
- bow traction mat
- bow & stern lights
- 30-gallon fuel system
- 800 gph bilge pump


- 8-gauge troll motor wiring system
- 3 battery trays
- walk-thru windshield
- standard 12" jackplate
- in-floor ski/rod storage
- boarding ladder
- ski tow bar
- AM/FM radio w/cassette player & two speakers
- 4 cleats

### OPTIONAL FEATURES

- sequin deck & hull
- tilt hydraulic steering
- Dual Pro 5 amp charger
- single 5 amp charger
- Lowrance 3500 digital depth

- (dash only)
- Lowrance X-48 w/transducer (bow)
- Lowrance X-65 w/transducer (bow)
- Lowrance X-75 w/transducer (bow)
- Lowrance X-85 w/transducer (bow)
- Zercom CID-40 flasher w/temp & transducer (bow)
- Lowrance transducer
- 1500 gph bilge pump (exchange)
- automatic bilge pump switch
- canopy top
- rear sun pad
- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue w/brakes
- surge brakes; one axle

- disc brakes; one axle
- tandem axle exchange
- disc brakes; 2nd axle
- trailer galvanizing (including wheels)
- Skeeter cut-out steps (single axle)
- Skeeter cut-out steps (tandem axle)
- side guides
- trailer loading lights
- MotorGuide 767 or 752 foot-operated or 567 or 552 trolling motor w/removable mount



LIVWELL  
ROD STORAGE  
STORAGE  
COOLER  
RIGGING

convenient  
under-seat ice chest  
is within  
arms reach

tons of deck storage  
for fish  
and ski  
accessories

walk-thru windshield  
for easy access  
to front deck

pro-style ski tow bar  
installs  
quickly

in-floor  
ski/rod storage

SL 185



For performance and fishability in rough chop, nothing cuts the mustard like Skeeter's Big Water Series. New for 2000, Skeeter introduces the answer to big water fishermen's prayers. The all-new ZX Bay Boats. Featuring patented V-pad hulls for maximum performance and super-responsive handling, the ZX 2200 and ZX 2400 are built to perform with our exclusive X-TREME composite transom and stringer system, making for a lighter, stronger boat. Also new for 2000 is the Skeeter ZX 2200T, featuring a tunnel hull for exceptional shallow water performance. However rough the water conditions, the new ZX Bay Boats are every bit the boat to handle them.

optional fishing chair

aerated baitwell and rear storage

optional MotorGuide® Great White trolling motor

center console with eight rod holders

roomy deck storage for gear

96-quart removable cooler/driver seat

the new Skeeter ZX 2200T tunnel hull

optional jump seats

**ZX 2200**

**ZX 2200T**


**ZX 2400**

**ZX 2400**

ice chest under front passenger seat

**ZX 2200**





1775WT

1775SC

1850DV

1850DV


1775WT

1775SC

1775T



Skeeter's tackle management system



dual aerated livewell with livewell control system



passenger-side console with cup-holder and stereo



1775T

The new Skeeter Deep Vs for 2000 are performance-driven and built to last. Featuring our exclusive hydrodynamically designed hulls, Skeeter Deep Vs provide a faster, drier ride. Built with X-TREME and X-CEL composite construction in floors, stringers and transoms, these big water boats deliver unparalleled durability and exceptional performance year after year.

And for real fishability, the Skeeter Deep Vs offer a variety of outstanding features including advanced design consoles with full instrumentation, aerated livewells, baitwells, and huge tackle and storage boxes.



removable comfort crafted fishing chair



new windshield design for the 1775WT



# ZX DEEP V BIG WATER SERIES

All Skeeter/Yamaha packages feature Yamaha deluxe controls, professional factory rigging and a custom Yamaha propeller (stainless steel 90 h.p. and above).

## ZX 2200 ZX 2200T ZX 2400

**STANDARD PACKAGE** ZX 2200, ZX 2200T or ZX 2400 fiberglass boat • Skeeter galvanized tandem axle trailer w/surge brakes, flush kit, black wall tires, tie downs, transom saver, spare tire & carrier



**SPECIFICATIONS**  
length on trailer .26'0"  
width on trailer .100"  
length .21'10"  
beam .98"  
transom height .24"  
height overall .75"  
interior depth .22"  
draft .14"  
dry weight .2,400 lbs.  
max h.p. .250 h.p.

**CAPACITIES**  
max weight .1,539 lbs.  
max persons .6/814 lbs.  
fuel .60 gals.

ZX 2200  
ZX 2200T  
ZX 2400

**SPECIFICATIONS**  
length on trailer .28'0"  
width on trailer .100"  
length .23'10"  
beam .98"  
transom height .24"  
height overall .75"  
interior depth .22"  
draft .14"  
dry weight .2,550 lbs.  
max h.p. .250 h.p.

**CAPACITIES**  
max weight .1,671 lbs.  
max persons 8/1,096 lbs.  
fuel .80 gals.


### STANDARD FEATURES

- composite construction
- white gelcoat hull & sides, w/sequin hull stripe
- white inner liner
- 90 quart ice chest/seat combination w/two-position back rest
- center console command center w/8 rod holders & Skeeter speedometer, tachometer, fuel, trim, water pressure, volt gauges & horn
- folding windshield w/full stainless steel rail
- console ice chest (16 gallon)
- rear/center baitwell w/fill &

- recirculating pumps/timer (18 gal.)
- forward console seating w/back rest & grab rails
- divided front deck storage
- rear casting deck
- rear storage
- 30 gallon fishbox
- anchor storage box
- fire extinguisher storage box
- (4) 6" pull up cleats
- console courtesy lights
- 60 gallon built-in fuel system (54 gal. main w/6 gal. reserve w/selecter switch) (2200, 2200T)
- 80 gallon built-in fuel system (60 gallon main w/20 gallon reserve w/selecter switch) (2400)

- 6 gauge troll motor wiring system
- tilt hydraulic steering
- three battery trays
- 2 SS seat bases (front & rear)
- fiberglass doors w/SS hinges
- self bailing cockpit
- Skeeter transom washer
- 2 cupholders
- (2) 1500 gph bilge pumps

**LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING  
BAITWELL**



### OPTIONAL FEATURES

- 6" hydraulic jack plate
- fishing seat w/13" fixed height pedestal
- bike seat with adjustable pro pole
- compass
- Lowrance X-48 w/transducer (dash only)
- Lowrance X-65 w/transducer (dash only)
- Lowrance X-75 w/transducer (dash only)
- Lowrance X-85 w/transducer (dash only)
- Lowrance Transducer
- stainless steel handrails installed
- rear stowaway buddy seat

- installed (2)
- MotorGuide Great White F67V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/Gator mount
- MotorGuide Great White B67V, 67 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/Gator mount
- MotorGuide Great White B107V, 107 lbs. thrust, hand operated, 36v, 50" shaft troll motor w/Gator mount & extra battery tray
- dual pro charger
- triple pro charger

## 1850DV

**STANDARD PACKAGE** Deep V 1850 fiberglass boat • walk-thru consoles • Skeeter single-axle tube trailer w/spare tire, carrier, tie-downs, surge brakes & transom saver • Zercom CID-40 flasher (dash) w/temp and rear transducer




**SPECIFICATIONS**  
length on trailer .23'4"  
width on trailer .94 1/2"  
length .18'6"  
beam .88"  
transom height .22"  
height overall .63"  
interior depth .25"  
draft .12"  
dry weight .1,600 lbs.  
max h.p. .175 h.p.

**CAPACITIES**  
max weight .1,450 lbs.  
max persons .8/860 lbs.  
fuel .33 gals.

### STANDARD FEATURES

- white or sand gelcoat deck & hull
- sequin deck & hull stripe
- sequin pin stripes
- Skeeter tachometer, speedometer, volt meter, water pressure gauge, trim gauge, & fuel gauge
- fixed drivers chair w/seat slider
- 3 movable fishing chairs & 4 floor bases
- bow & stern livewells
- livewell control system featuring independent "fill," "recirculating" & "drain" modes & pump timer
- dual cable rack & pinion tilt steering
- walk-thru windshield
- manual 800 gph bilge pump &

- automatic 1500 gph bilge pump
- tackle management system (bow)
- 6 gauge 12/24 volt trolling motor wiring system
- 2 rod boxes
- 4 interior lights
- 4 cleats
- 3 battery trays
- 33 gallon built in fuel system
- 6 gallon built in kicker motor fuel system
- am/fm radio w/cassette player & 2 speakers



**LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING  
BAITWELL**

### OPTIONAL FEATURES

- full sequin finish
- tilt hydraulic steering
- dual windscreens (exchange)
- stainless steel hand rails (stern)
- moor mates (pair)
- fishing chair w/adjustable ext.
- bike seat w/adjustable extension
- Lowrance X-48 w/transducer (not installed at factory - select puck location)
- Lowrance X-65 w/transducer (not

- installed at factory - select puck location)
- Lowrance X-75 w/transducer (not installed at factory - select puck location)
- Lowrance X-85 w/transducer (not installed at factory - select puck location)
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 (dash)
- Lowrance transducer
- canopy top
- side & aft curtains
- bow cushions
- boarding ladder
- Skeeter transom washer

- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue w/brakes
- loading lights
- disc brakes (exchange)
- tandem axle (exchange)
- trailer galvanizing (including wheels)
- Skeeter cut-out steps (single axle)
- Skeeter cut-out steps (tandem axle)
- side guides
- MotorGuide Big Water Tour Edition 767V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/big water mount

- MotorGuide Big Water Tour Edition 667V, 67 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Energy Series 76V, 76 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/Wide Bite mount
- MotorGuide Energy Series 107V, 107 lbs. thrust, hand operated, 36v, 50" shaft troll motor w/Wide Bite mount w/additional battery tray
- dual pro charger (not installed at factory)
- triple pro battery charger (not installed at factory)

## 1775WT

**STANDARD PACKAGE** Deep V 1775WT fiberglass boat • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs and transom saver • Zercom CID-40 flasher (dash) w/temp and rear transducer




**SPECIFICATIONS**  
length on trailer .22'6"  
width on trailer .99"  
length .17'8"  
beam .88"  
transom height .22"  
height overall .63"  
interior depth .25"  
draft .12"  
dry weight .1,500 lbs.  
max h.p. .150 h.p.

**CAPACITIES**  
max weight .1,450 lbs.  
max persons 6/860 lbs.  
fuel .33 gals.

### STANDARD FEATURES

- composite construction
- white or sand gelcoat deck & hull
- sequin deck & hull stripe
- sequin pin stripes
- Skeeter tachometer, speedometer, volt meter, water pressure gauge, trim gauge, & fuel gauge
- fixed driver's chair w/seat slider
- 2 movable fishing chairs
- 2 power pedestals
- 1 adjustable pedestal
- 4 seat bases
- bow & stern livewells
- livewell control system featuring "fill," "recirculation" & "drain" modes & adjustable pump timer

- dual-cable, rack & pinion, tilt steering
- walk-thru windshield
- bow traction mat
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- tackle management system (bow)
- bow trolling motor battery storage
- 6-gauge 12/24 volt trolling motor wiring system
- 2 rod lockers
- 4 interior lights
- 4 cleats
- 3 battery trays
- 33-gallon built-in fuel system
- am/fm radio w/cassette player & 2 speakers



**LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING  
BAITWELL**

### OPTIONAL FEATURES

- full sequin finish
- tilt hydraulic steering
- dual windscreens (exchange)
- stainless steel hand rails (stern)
- fishing chair w/adjustable extension
- bike seat w/adjustable extension
- Lowrance X-48 w/transducer (not installed at factory - select puck loc.)
- Lowrance X-65 w/transducer (not installed at factory - select puck

- location)
- Lowrance X-75 w/transducer (not installed at factory - select puck location)
- Lowrance X-85 w/transducer (not installed at factory - select puck location)
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 flasher w/temp & transducer
- Lowrance transducer
- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue (for trailer w/brakes)

- surge brakes
- disc brakes
- tandem axle (exchange)
- trailer galvanizing (including wheels)
- side guides
- Skeeter cut-out steps
- Skeeter cut-out steps (tandem axle)
- trailer loading lights
- spare tire & alumalook wheel
- Skeeter transom washer
- MotorGuide Big Water Tour Edition 767V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Big Water Tour Edition 667V, 67 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/big

- water mount
- MotorGuide Energy Series 76V, 76 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/Wide Bite mount
- MotorGuide Energy Series 107V, 107 lbs. thrust, hand operated, 36v, 50" shaft troll motor w/Wide Bite mount w/additional battery tray
- dual pro charger (not installed at factory)
- triple pro battery charger (not installed at factory)

## 1775SC

**STANDARD PACKAGE** Deep V 1775SC fiberglass boat • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs and transom saver • Zercom CID-40 flasher (dash) w/temp and rear transducer




**SPECIFICATIONS**  
length on trailer .22'6"  
width on trailer .99"  
length .17'8"  
beam .88"  
transom height .22"  
height overall .63"  
interior depth .25"  
draft .12"  
dry weight .1,450 lbs.  
max h.p. .150 h.p.

**CAPACITIES**  
max weight .1,450 lbs.  
max persons 6/860 lbs.  
fuel .33 gals.

### STANDARD FEATURES

- composite construction
- white or sand gelcoat deck & hull
- sequin deck & hull stripe
- sequin pin stripes
- Skeeter tachometer, speedometer, volt meter, water pressure gauge, trim gauge, & fuel gauge
- fixed driver's chair w/seat slider
- 2 movable fishing chairs
- 2 power pedestals
- 1 adjustable pedestal
- 4 seat bases
- bow & stern livewells
- separate bow baitwell
- livewell control system featuring "fill," "recirculation" & "drain"

- modes & adjustable pump timer
- dual-cable rack & pinion tilt steering
- windscreen
- bow traction mat
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- tackle management system (bow)
- bow trolling motor battery storage
- 6-gauge 12/24 volt trolling motor wiring system
- 2 rod lockers
- 4 interior lights
- 4 cleats
- 3 battery trays
- 33-gallon built-in fuel system



**LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING  
BAITWELL**

### OPTIONAL FEATURES

- full sequin finish
- tilt hydraulic steering
- stainless steel hand rails (stern)
- fishing chair w/adjustable extension
- bike seat w/adjustable extension
- Lowrance X-48 w/transducer (not installed at factory - select puck loc.)
- Lowrance X-65 w/transducer (not installed at factory - select puck location)

- Lowrance X-75 w/transducer (not installed at factory - select puck location)
- Lowrance X-85 w/transducer (not installed at factory - select puck location)
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 flasher w/temp & transducer
- Lowrance transducer
- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue (for trailer w/brakes)
- surge brakes

- disc brakes
- tandem axle (exchange)
- trailer galvanizing (including wheels)
- side guides
- Skeeter cut-out steps
- Skeeter cut-out steps (tandem axle)
- trailer loading lights
- spare tire & alumalook wheel
- Skeeter transom washer
- MotorGuide Big Water Tour Edition 767V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Big Water Tour Edition 667V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Energy Series 76V, 76 lbs.

- thrust, hand operated, 24v, 50" shaft troll motor w/Wide Bite mount
- MotorGuide Energy Series Edition 107V, 107 lbs. thrust, hand operated, 36v, 50" shaft troll motor w/Wide Bite mount w/additional battery tray
- dual pro charger (not installed at factory)
- triple pro battery charger (not installed at factory)

## 1775T

**STANDARD PACKAGE** Deep V 1775T fiberglass boat • Skeeter single-axle tube trailer w/spare tire carrier, tie-downs and transom saver • Zercom CID-40 flasher (dash) w/temp and rear transducer




**SPECIFICATIONS**  
length on trailer .22'6"  
width on trailer .99"  
length .17'8"  
beam .88"  
transom height .22"  
height overall .47"  
interior depth .25"  
draft .12"  
dry weight .1,390 lbs.  
max h.p. .80 h.p.

**CAPACITIES**  
max weight .1,450 lbs.  
max persons 6/860 lbs.  
fuel .33 gals.

### STANDARD FEATURES

- composite construction
- white or sand gelcoat deck & hull
- sequin deck & hull stripe
- sequin pin stripes
- Skeeter tachometer, speedometer, fuel gauge & horn
- fixed driver's chair w/seat slider
- 2 movable fishing chairs
- 2 power pedestals
- 1 adjustable pedestal
- 3 seat bases
- bow & stern livewells
- separate bow baitwell
- livewell control system featuring "fill," "recirculation" & "drain"
- modes & adjustable pump timer

- bow traction mat
- manual 800 gph bilge pump & automatic 1500 gph bilge pump
- tackle management system (bow)
- bow trolling motor battery storage
- 6-gauge 12/24 volt trolling motor wiring system
- 2 rod lockers
- 4 interior lights
- 4 cleats
- 3 battery trays
- 33-gallon built-in fuel system



**LIVEWELL / ROD STORAGE  
STORAGE / COOLER / RIGGING  
BAITWELL**

### OPTIONAL FEATURES

- full sequin finish
- stainless steel hand rails (stern)
- fishing chair w/adjustable extension
- bike seat w/adjustable extension
- Lowrance X-48 w/transducer (not installed at factory - select puck loc.)
- Lowrance X-65 w/transducer (not installed at factory - select puck location)
- Lowrance X-75 w/transducer (not

- installed at factory - select puck location)
- Lowrance X-85 w/transducer (not installed at factory - select puck location)
- Lowrance 1240A flasher w/transducer (dash) exchanged for Zercom CID-40 flasher w/temp & transducer
- Lowrance transducer
- chrome wheel exchange
- aluminum wheel exchange
- swing-away tongue
- swing-away tongue (for trailer w/brakes)
- surge brakes
- disc brakes

- tandem axle (exchange)
- trailer galvanizing (including wheels)
- side guides
- Skeeter cut-out steps
- Skeeter cut-out steps (tandem axle)
- trailer loading lights
- spare tire & alumalook wheel
- Skeeter transom washer
- MotorGuide Big Water Tour Edition 767V, 67 lbs. thrust, foot operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Big Water Tour Edition 667V, 67 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/big water mount
- MotorGuide Energy Series 76V,

- 76 lbs. thrust, hand operated, 24v, 50" shaft troll motor w/Wide Bite mount
- MotorGuide Energy Series 107V, 107 lbs. thrust, hand operated, 36v, 50" shaft troll motor w/Wide Bite mount w/additional battery tray
- dual pro charger (not installed at factory)
- triple pro battery charger (not installed at factory)



Over five decades ago we built the first Skeeter, which just so happened to be the world's first bass boat. Since then, we've been setting the standard, raising the bar and leaving the rest of the boating industry in a wake of innovation.


It was way back in 1948 when Holmes Thurmond designed and launched the first Skeeter bass boat. Made entirely of marine-grade plywood, with slanted sides and a flat bottom, it marked a milestone in bass boat engineering.

But by no means was it the last of firsts for Skeeter. In 1961, we built the first bass boat from fiberglass, a huge leap forward in performance and durability. Then, in 1975 Skeeter introduced the Wrangler, the first V-bottom bass boat ever built. As time passed, Skeeter introduced a host of other innovations. The first full-length rod box. The first bass boat rated for 150 HP. And the first to introduce "space age" composite materials, with our X-TREME and X-CEL composite construction.

**EVERYTHING  
ELSE**

# IS JUST A WATERED-DOWN VERSION OF THE ORIGINAL.

And as you may have already guessed, we just can't leave well enough alone. Skeeter is leading the way into the new century with new breakthroughs and the first of the next generation of Skeeter boats. Since the very beginning, there's been nothing like a Skeeter. And for good reason. Because there's nothing like the original.



Joe Thomas Jay Yelas Alton Jones Mike Auten Brent Chapman Mark Kilo Dean Rojas Zell Rowland

**Eat. Sleep. Fish.**





CARPETING



GELCOATS



UPHOLSTERY



FLAKE FINISHES



STRIPING



**ZX ALUMINUM SERIES**



ZX 19

The all-new ZX Aluminum Series for 2000 is everything you'd expect from more than 50 years of legendary Skeeter engineering. In fact, all the performance and fishability of our ZX fiberglass bass boats are also evident in our exciting, new high-performance aluminum bass rigs. With all-welded construction, true-performance pad hull design and Skeeter's X-TREME channel construction, these new ZX aluminum bass boats are exceptionally fast, durable and easy to maneuver. And for unmatched fishability, the new ZX Aluminums sport features like extended casting decks, tons of storage space and state-of-the-art electronics. And like all Skeeters, the new ZX Aluminums are paired with the legendary power and performance of Yamaha.

ZX 19

ZX 18

ZX 17

From the dedication to quality and craftsmanship to the unsurpassed strength, durability and smooth, dry ride, Skeeter's new ZX Aluminum boats are an exciting new innovation in marine engineering. And a new chapter in the book of ultimate fishability.





ZX 17



ZX 19




ZX 18



three-across seating with convenient under-seat storage



roomy, lockable rod boxes and gear storage



removable rear fishing chair for comfort and fishability



# SX ALUMINUM BASS BOAT

SX 17PF<sup>2</sup>

Skeeter's complete line of SX Aluminum bass boats is nothing short of the outstanding performance, fishability and great value you've come to expect from Skeeter. Every Skeeter SX Aluminum is built from only the toughest, marine-grade aluminum and heavy-duty materials. Then our engineers test and retest until it's the best aluminum boat on the water. From our X-CALIBUR modified-vee hull design for an exceptional ride, to the roomy casting decks, great storage space and state-of-the-art electronics, the SX Aluminum is the perfect boat for fishing and family fun. What's more, every Skeeter SX Aluminum boat comes with a custom tube trailer and is backed by the legendary technology and performance of Yamaha.

SX 18

SX 17

SX 17PF

SX 17PF<sup>2</sup>

SX 18<sup>2</sup>

SX 17<sup>2</sup>

roomy rod lockers<sup>2</sup>  
allow storage of  
multiple rigs

control center  
conveniently located  
at console

three-across lift-up  
seating for  
additional  
storage

divided rear aerated  
livewell  
on SX 17  
and  
SX 18<sup>2</sup>



# SX ALUMINUM BASS BOAT

SX 17PF<sup>2</sup>

Skeeter's complete line of SX Aluminum bass boats is nothing short of the outstanding performance, fishability and great value you've come to expect from Skeeter. Every Skeeter SX Aluminum is built from only the toughest, marine-grade aluminum and heavy-duty materials. Then our engineers test and retest until it's the best aluminum boat on the water. From our X-CALIBUR modified-vee hull design for an exceptional ride, to the roomy casting decks, great storage space and state-of-the-art electronics, the SX Aluminum is the perfect boat for fishing and family fun. What's more, every Skeeter SX Aluminum boat comes with a custom tube trailer and is backed by the legendary technology and performance of Yamaha.

SX 18

SX 17

SX 17PF

SX 17PF<sup>2</sup>

SX 18<sup>2</sup>

SX 17<sup>2</sup>

roomy rod lockers<sup>2</sup>  
allow storage of  
multiple rigs

control center  
conveniently located  
at console

three-across lift-up  
seating for  
additional  
storage

divided rear aerated  
livewell  
on SX 17  
and  
SX 18<sup>2</sup>



## ZX ALUMINUM SERIES

### ZX 19

#### STANDARD PACKAGE

ZX 19 aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 767, foot-operated, 67 lbs. thrust troll motor w/Gator mount



#### SPECIFICATIONS



length .....19'  
beam .....90"  
bottom width .....60"  
transom height .....20"  
interior depth .....19"  
hull thickness .....100"  
length on trailer .....21'5"  
width on trailer .....90"  
max hp .....150 h.p.  
dry weight .....1,400 lbs.

#### CAPACITIES

max weight .....1,400 lbs.  
max persons .....4  
fuel .....27 gals.

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- aluminum floors & decks
- high solids polyurethane two component paint
- contour driver & passenger seats w/removable center seat
- cockpit command center w/ZX series tachometer, speedometer, trim gauge, fuel gauge, horn
- 2 fishing chairs w/pedestals
- tinted windscreen
- stainless steel handrails
- livewell control system featuring "fill", "recirculating", & "drain" modes & adjustable livewell pump timer
- divided rear aerated livewell
- dual cable rack & pinion steering system
- built in storage under passenger seat
- insulated doors
- bow and stern light holder
- 27 gallon built in fuel system
- automatic 800 gph bilge pump
- 6 gauge troll motor wiring system
- 3 battery trays
- roto molded storage boxes
- cargo pads (front storage boxes only)
- 4 cleats

#### OPTIONAL FEATURES

- passenger console w/windscreen
- spare tire & wheel
- chrome wheel exchange
- trailer galvanizing (including wheels)

### ZX 18

#### STANDARD PACKAGE

ZX 18 aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 752, foot-operated, 52 lbs. thrust troll motor w/Gator mount



#### SPECIFICATIONS



length .....18'  
beam .....90"  
bottom width .....60"  
transom height .....20"  
interior depth .....18.5"  
hull thickness .....100"  
length on trailer .....20"  
width on trailer .....90"  
max hp .....130 h.p.  
dry weight .....1,350 lbs.

#### CAPACITIES

max weight .....1,200 lbs.  
max persons .....4  
fuel .....27 gals.

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- aluminum floors & decks
- high solids polyurethane two component paint
- contour driver & passenger seats w/removable center seat
- cockpit command center w/ZX series tachometer, speedometer, trim gauge, fuel gauge, horn
- 2 fishing chairs w/pedestals
- tinted windscreen
- stainless steel handrails
- livewell control system featuring "fill", "recirculating", & "drain" modes & adjustable livewell pump timer
- divided rear aerated livewell
- single cable rack & pinion steering system
- built in storage under passenger seat
- insulated doors
- bow and stern light holder
- 27 gallon built in fuel system
- automatic 800 gph bilge pump
- 6 gauge troll motor wiring system
- 2 battery trays
- roto molded storage boxes
- cargo pads (front storage boxes only)
- 4 cleats

#### OPTIONAL FEATURES

- spare tire & wheel
- chrome wheel exchange
- trailer galvanizing (including wheels)

### ZX 17

#### STANDARD PACKAGE

ZX 17 aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Zercom CID-40 flasher (dash) w/temp & rear transducer • MotorGuide 752, foot-operated, 52 lbs. thrust troll motor w/Gator mount



#### SPECIFICATIONS


length .....17'  
beam .....90"  
bottom width .....60"  
transom height .....20"  
interior depth .....17.5"  
hull thickness .....100"  
length on trailer .....19'7"  
width on trailer .....90"  
max hp .....90 h.p.  
dry weight .....1,300 lbs.

#### CAPACITIES

max weight .....1,200 lbs.  
max persons .....4  
fuel .....20 gals.

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- aluminum floors & decks
- high solids polyurethane two component paint
- contour driver & passenger seats w/removable center seat
- cockpit command center w/ZX series tachometer, speedometer, trim gauge, fuel gauge, horn
- 2 fishing chairs w/pedestals
- tinted windscreen
- stainless steel handrails
- livewell control system featuring "fill", "recirculating", & "drain" modes & adjustable livewell pump timer
- divided rear aerated livewell
- single cable rack & pinion steering system
- built in storage under passenger seat
- insulated doors
- bow and stern light holder
- 20 gallon built in fuel system
- automatic 800 gph bilge pump
- 6 gauge troll motor wiring system
- 2 battery trays
- roto molded storage boxes
- cargo pads (front storage boxes only)
- 4 cleats

#### OPTIONAL FEATURES

- spare tire & wheel
- chrome wheel exchange
- trailer galvanizing (including wheels)

## SX ALUMINUM SERIES

### SX 18

#### STANDARD PACKAGE

SX 18 aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Lowrance X-25B (dash) w/rear transducer • MotorGuide 743, foot-operated, 43 lbs. thrust troll motor



#### SPECIFICATIONS


length .....18'  
beam .....72"  
bottom width .....56"  
transom height .....20"  
interior depth .....20"  
hull thickness .....100"  
length on trailer .....19'6"  
width on trailer .....74"  
max hp .....115 h.p.  
dry weight .....1,100 lbs.

#### CAPACITIES

max weight .....1,200 lbs.  
max persons .....4  
fuel .....20 gals.

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- high solids polyurethane two component paint
- single cable rack & pinion steering system
- fold-down bench seat
- 2 fold-down fishing chairs w/pedestals
- cockpit command center w/Skeeter series tachometer, speedometer, trim gauge, fuel gauge & horn
- divided rear aerated livewell
- under bench seat storage
- 20 gallon built in fuel system
- manual 800 gph bilge pump
- 8 gauge 12/24v troll motor wiring system
- 2 battery trays
- 4 cleats

#### OPTIONAL FEATURES

- chrome wheel exchange
- spare tire & wheel
- trailer galvanizing (including wheels)
- MotorGuide 543, 43 lbs. thrust, hand-operated, 12v, 50" shaft troll motor (exchange)

### SX 17

#### STANDARD PACKAGE

SX 17 aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Lowrance X-25B (dash) w/rear transducer • MotorGuide 743, foot-operated, 43 lbs. thrust troll motor



#### SPECIFICATIONS


length .....17'  
beam .....72"  
bottom width .....56"  
transom height .....20"  
interior depth .....20"  
hull thickness .....100"  
length on trailer .....18'6"  
width on trailer .....74"  
max hp .....75 h.p.  
dry weight .....1,050 lbs.

#### CAPACITIES

max weight .....1,000 lbs.  
max persons .....4  
fuel .....20 gals.

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- high solids polyurethane two component paint
- single cable rack & pinion steering system
- fold-down bench seat
- 2 fold-down fishing chairs w/pedestals
- cockpit command center w/Skeeter series tachometer, speedometer, trim gauge, fuel gauge & horn
- divided rear aerated livewell
- under bench seat storage
- 20 gallon built in fuel system
- manual 800 gph bilge pump
- 8 gauge 12/24v troll motor wiring system
- 2 battery trays
- 4 cleats

#### OPTIONAL FEATURES

- chrome wheel exchange
- spare tire & wheel
- trailer galvanizing (including wheels)
- MotorGuide 543, 43 lbs. thrust, hand-operated, 12v, 50" shaft troll motor (exchange)

### SX 17PF

#### STANDARD PACKAGE

SX 17PF aluminum boat • Skeeter custom tube trailer w/spare tire carrier & tie-downs • Lowrance X-25B (dash) w/rear transducer • MotorGuide 743, foot-operated, 43 lbs. thrust troll motor



#### SPECIFICATIONS


length .....17'  
beam .....70"  
bottom width .....50"  
transom height .....20"  
interior depth .....22"  
hull thickness .....100"  
length on trailer .....18'6"  
width on trailer .....74"  
max hp .....40 h.p.  
dry weight .....880 lbs.

#### CAPACITIES

max weight .....1,000 lbs.  
max persons .....4  
fuel .....6 gals. portable

#### ROD STORAGE

LIVEWELL  
STORAGE  
COOLER  
RIGGING



#### STANDARD FEATURES

- welded construction
- high solids polyurethane two component paint
- stick steering
- 2 fold-down fishing chairs (locking driver's chair)
- center aerated livewell/storage/seat combination
- bow storage area
- 6 gallon portable fuel tank
- manual 800 gph bilge pump
- 8 gauge 12v troll motor wiring system
- 2 battery trays
- 4 cleats

#### OPTIONAL FEATURES

- chrome wheel exchange
- spare tire & wheel
- trailer galvanizing (including wheels)




Skeeter introduces an all-new selection of pontoons for 2000 and a brand new take on big family fun. With a new eye-catching design and advanced engineering for greater performance, the new Skeeter pontoons are big on value and big on features. Like roto-cast furniture, large refreshment centers, AM/FM stereos with cassette player and speakers, color-coordinated bimini tops and privacy enclosures. And all Skeeter Pontoons are built from only the finest marine-grade materials, backed by Skeeter's limited lifetime deck warranty.\* So if you're looking for a pontoon, check out the all-new Skeeters for 2000. They're the surest way to add a new dimension to your family fun.


# PONTOON



console  
command center



ABS dinette table  
with cup holders  
and rear "L" shaped roto  
molded couch



roto-molded furniture  
with storage



privacy enclosure<sup>^</sup>  
and tanning deck



PB 24C

PB 20C

PB 20F

## STANDARD FEATURES

- 100% aluminum motor pod
- anodized rails & stainless steel fasteners
- heavy-duty "Z" brackets, 18" on center
- through-bolted floors
- vinyl splash guards
- built-in fuel tanks
- easy "flip deck" access to engine (C models)
- stow-away boarding ladder
- roto-molded/high density foam furniture
- ABS dinette table w/cup holders
- privacy enclosure
- refreshment center w/sink &

- cooler storage
- am/fm stereo w/cassette player & 2 speakers
- courtesy lights
- color coordinated bimini top
- deluxe console w/tilt steering wheel, speedometer, tachometer, volt meter, trim gauge, fuel gauge & horn
- 12v accessory inlet
- rear padded tanning deck (C models)
- fold-out "sleeper couch" (C models)
- dual width roto-molded helm seat (C models)
- 4 fishing chairs & pedestals (F model)
- 2 position helm seat w/aerated

- livewell (F model)
- 12v trolling motor wiring & plug (F model)

## OPTIONAL FEATURES

- single axle trailer (PB20C & PB20F)
- tandem axle trailer w/surge brakes (PB24C)
- spare tire & wheel
- MotorGuide 743 foot operated troll motor, 43 lbs. thrust w/mount (F model)

## PB 24C

**SPECIFICATIONS**  
length overall . . . . .24'  
beam . . . . .96"  
max h.p. . . . .130 h.p.  
pontoon gauge . . .080"  
log size . . . . .100" nosecones  
log size . . . . .23"X25" U shape  
weight . . . . .2,200 lbs.

**CAPACITIES**  
max weight . . .2,500 lbs.  
max persons .14/1,950 lbs.  
fuel . . . . .30 gals.

## PB 20C


**SPECIFICATIONS**  
length overall . . . . .20'  
beam . . . . .96"  
max h.p. . . . .90 h.p.  
pontoon gauge . . .080"  
log size . . . . .100" nosecones  
log size . . . . .23"X25" U shape  
weight . . . . .1,900 lbs.

**CAPACITIES**  
max weight . . .2,050 lbs.  
max persons .12/1,600 lbs.  
fuel . . . . .30 gals.

## PB 20F

**SPECIFICATIONS**  
length overall . . . . .20'  
beam . . . . .96"  
max h.p. . . . .90 h.p.  
pontoon gauge . . .080"  
log size . . . . .100" nosecones  
log size . . . . .23"X25" U shape  
weight . . . . .1,900 lbs.

**CAPACITIES**  
max weight . . .2,050 lbs.  
max persons .12/1,600 lbs.  
fuel . . . . .23 gals.



\*Limited lifetime deck warranty: Skeeter will cover 100% of the cost of materials and labor to repair or replace a defective deck (warping, rotting or manufacturer's defect) with the original owner for 10 years from the original date of purchase. After 10 years Skeeter will cover 100% of the cost of materials only to repair or replace a defective deck with the original owner for the life of the boat.





ZX 202



# YAMAHA

*When you want the best.*

Greatness doesn't come easy. Especially in the high-performance world of tournament bass fishing. Today's serious anglers need boats to be faster, tougher and more fishable than ever before. And we've spent over 50 years doing just that. In fact, every Skeeter that hits the water is carefully crafted to deliver an unrivaled level of performance and fishability. And we work hard to keep it that way.

Behind every Skeeter you'll find the legendary reputation of Yamaha, not to mention a lot of other boats. Thanks to Yamaha's quality, high-performance engines and state-of-the-art technology, we've made some pretty big waves in the industry. When you want the best, look for Yamaha. It's the power behind every Skeeter for all the right reasons.

**HPDI™** Yamaha's latest innovation, HPDI (High Pressure Direct Injection), provides lightning-quick performance and unsurpassed fuel economy, while meeting the emission standards mandated by the EPA for the year 2006.

## SKEEETER

### PERFORMANCE FISHING BOATS

At the heart of every Skeeter design lies a heritage of performance, coupled with an intricate balance of fishability, durability and uncompromised style.

#### X-TREME PERFORMANCE

For over a half century each and every Skeeter boat has been designed, tested and manufactured to deliver "Total Performance" in the most demanding conditions.

—The roomiest and most stable fishing platforms make a day's fishing a pleasure, not a chore.

—Spacious and abundant storage insures all the tackle and gear you need is always on-board.

—Innovative Skeeter hull designs produce the legendary Skeeter top-end lift and smooth, dry ride while providing total control and handling.

Every Skeeter boat is engineered and crafted to X-Ceed the demands of fishermen that are passionate about the sport of fishing. *Eat. Sleep. Fish.*

#### X-TREME CONSTRUCTION

Our X-TREME Construction provides incomparable strength and durability for unsurpassed performance. X-TREME Construction reflects Skeeter's commitment to build only the highest quality fishing boats. We make it a point to not only meet, but X-Ceed the needs of anglers by using only the finest materials and advanced technology.

#### X-TREME COMPOSITES

All Skeeter bass boats feature composite stringers and transoms. All Skeeter ZX models feature composite flooring for maximum strength and reduced weight.

#### X-CESS ENGINE SUPPORT SYSTEM

All-new integrated aluminum union between the stringer and transom for maximum strength and performance. Standard equipment on ZX 210, 202 and 195.

#### X-CEL TRANSCOM

Independent lab tests have shown Skeeter's X-CEL Transom to be the strongest on the market.

# THERE'S GREATNESS BEHIND EVERY SKEETER

ZX 185



*Eat. Sleep. Fish.*



Ownership does have its privileges. For starters, owning a Skeeter instantly makes you a proud member of the Skeeter family. Which just so happens to come with a laundry list of benefits.

### THE SKEETER OWNERS' TOURNAMENT.

Own a Skeeter and you'll be automatically eligible for the Skeeter Owners' Tournament. This is an annual event giving you the chance to compete with other Skeeter owners for over \$75,000 in cash and prizes!

### THE SKEETER TOUR TOURNAMENT CIRCUIT

Send in the warranty on your new Skeeter boat and you automatically qualify as a member of the Skeeter Tour for three years. This makes you eligible to participate in any of the more than 3,000 sanctioned tournaments nationwide. Then, if you're a winner in any of these events you'll win an additional \$1,000 just for being a Skeeter owner.

### SKEETER TOUR GOLD TOURNAMENT PROGRAM

Skeeter and your Skeeter dealer will organize a select number of tournaments each year. If you win a Skeeter Gold event you'll win an additional \$2,500 above any other prizes. If a Skeeter owner doesn't win, the highest-placing Skeeter owner will receive two times his or her entry fee.


See your local Skeeter dealer for details.



# OWN A SKEETER AND YOU'RE FISHING!



2nd place winners  
Pamela Dountas  
and Jennifer Horn.



1st place team  
of the 1999 Skeeter  
Owners' Tournament  
were John Sowins and  
Charles Ceruy.



Once again, an incredible turnout for the  
1999 Skeeter Owners' Tournament.




Fishermen gathered  
to take pictures with  
Skeeter Pros.



Team Skeeter



Pro Fisherman Alton Jones signs autographs



Ray Dupont fishes the  
tournament from his  
vintage Skeeter.



Find a rubber duck  
at the Owners' Tournament and claim your prize.



# NEW FOR 2000



ZX 185


The best just got better. For 2000 Skeeter proudly introduces the newly redesigned ZX 202 and ZX 185. And the next generation of Skeeter's ZX Performance Series.

Available in high-performance bass boat models and non-skid liner models, the new ZXs feature patented reverse draft transoms and stretched sponsons with a no-splashwell design stern, for an incredibly stable fishing platform, unparalleled lift, and the best hole shot in the business.

Made to move with a 225-horsepower rating, the new ZX 202 gives you a quick and smooth ride and features a spacious deck, giving serious anglers room to handle big-tournament action. The ZX 185 also has a leg up with a new hull design that provides a fast, smooth ride.

Both of the new ZX boats come packed to the hilt with big tournament features like our innovative new rod storage system and four-pump tournament livewell system. Not to mention amenities like new graphics, a new console with tilt/hydraulic steering and MotorGuide® Tour Edition Trolling Motors and much more.

All in all, the new ZXs are nothing less than a perfect marriage of high performance and fishability. With a touch of the new Millennium.



all-new Skeeter graphic design for 2000




new for 2000  
ZX 202  
& ZX 185  
model designators




all-new  
bow traction mat  
for 2000

Skeeter's innovative  
new rod storage  
system,



the new ZX liner models  
come standard with all  
the ZX luxuries,




the new ZXs have  
all of the luxuries  
for big-tournament fishing



ZX 202

the new ZX liner models  
feature non-skid decks  
& floors for easy clean-up




ZX 185




ZX 202L

all-new  
Cockpit Command Center  
for 2000



Skeeter's exclusive  
X-CESS aluminum engine support system





**SKEETER PRODUCTS, INC. / ONE SKEETER ROAD / P.O. BOX 230 / KILGORE, TX 75663-0230**

**1-800-SKEETER**

**WWW.SKEETERBOATS.COM**

**A YAMAHA BOAT COMPANY**

**FOR SKEETER CLOTHING AND ACCESSORIES, CONTACT YOUR LOCAL SKEETER DEALER OR A CUSTOMER SERVICE REPRESENTATIVE AT CYRK 1-800-544-8794.**

**SKEETER SUPPORTS OUR COUNTRY'S VAST FISHERIES BY PROMOTING CATCH AND RELEASE AND IS COMMITTED TO PRESERVING THE ENVIRONMENT IN OUR MANUFACTURING PRACTICES.**

**READ AND FOLLOW THE OPERATION AND MAINTENANCE GUIDELINES PROVIDED BY SKEETER IN YOUR OWNER'S MANUAL. ALWAYS OBSERVE ALL APPLICABLE BOATING LAWS. NEVER DRINK AND DRIVE. DRESS PROPERLY WITH A USCG-APPROVED PERSONAL FLOTATION DEVICE AND PROTECTIVE GEAR.**

Some of the features shown and described are available only on specific Skeeter models. Skeeter reserves the right to change products and specifications without notice. All material in the catalog is believed to be correct at time of publication. Some optional equipment may be shown in some photographs. See the Skeeter dealer nearest you for the latest information on all Skeeter boats and gear.

© 1999, Skeeter Products, Inc.



**YAMAHA**

**SKEETER**  
PERFORMANCE FISHING BOATS